

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	3	rouleau-gordon.in.	US-PGPUB; USPAT	OR	OFF	2007/12/17 11:55
L2	2	eicon.as.	US-PGPUB; USPAT	OR	OFF	2007/12/17 11:57
L3	1	eicon-networks-corporation.as.	US-PGPUB; USPAT	OR	OFF	2007/12/17 11:56
L4	0	obsidian-llc.as.	US-PGPUB; USPAT	OR	OFF	2007/12/17 11:57
L5	10	obsidian.as.	US-PGPUB; USPAT	OR	OFF	2007/12/17 11:57
L6	41	dialogic-corporation.as.	US-PGPUB; USPAT	OR	OFF	2007/12/17 11:59
S1	2	"5845091".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2007/11/23 11:31
S2	1	S1 and primary near2 router	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2007/10/15 12:33
S3	2	"5845091".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2007/10/15 13:10
S4	1	S3 and routers	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2007/10/15 13:14
S5	123	primary near2 router\$1 and @pd<"20021020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2007/10/15 13:15
S6	14	(domain near2 name near2 server near2 relay)	US-PGPUB; USPAT	OR	OFF	2007/11/21 15:05

EAST Search History

S7	3	(US-20020103921-\$ or US-20020078232-\$ or US-20050041671-\$).did.	US-PGPUB	OR	OFF	2007/11/21 15:07
S8	1	S7 and relay	US-PGPUB	OR	OFF	2007/11/21 15:07
S9	2	"6751191".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2007/11/23 12:02
S10	1	S9 and primary	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2007/11/23 11:32
S11	1	S9 and path	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2007/11/23 11:33
S12	1	S9 and connection	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2007/11/23 11:39
S13	0	S9 and iso	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2007/11/23 11:39
S14	2	"5845091".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2007/11/23 11:57
S15	1	S14 and link	US-PGPUB; USPAT	OR	OFF	2007/11/23 11:41
S16	1	S9 and link	US-PGPUB; USPAT	OR	OFF	2007/11/23 11:46
S17	0	S9 and wan	US-PGPUB; USPAT	OR	OFF	2007/11/23 11:46
S18	0	S9 and wide near2 area	US-PGPUB; USPAT	OR	OFF	2007/11/23 11:48

EAST Search History

S19	1	"6108345".pn.	US-PGPUB; USPAT	OR	OFF	2007/11/23 11:57
S20	1	S19 and wide	US-PGPUB; USPAT	OR	OFF	2007/11/23 11:48
S21	2	"6751191".pn. and lan	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2007/11/23 12:03
S22	2	"6751191".pn. and lan same master	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2007/11/23 12:27
S23	0	"6751191".pn. and link same arp	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2007/11/23 12:28
S24	0	"6751191".pn. and layer same arp	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2007/11/23 12:28
S25	1	"6751191".pn. and arp	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2007/11/23 12:29
S26	1	"6751191".pn. and layer near2 "2"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2007/11/23 12:29
S27	3	(arp with ((data near2 link) or (layer near2 "2"))with (access near2 (router or device)))	US-PGPUB; USPAT	OR	OFF	2007/11/24 08:39
S28	3	S27 and arp	US-PGPUB; USPAT	OR	OFF	2007/11/24 08:40
S29	27	(access near2 (router or device)) and (backup or slave or secondary) near2 (router or device) and (arp) and (data near2 link near2 layer or layer near2 "2")	US-PGPUB; USPAT	OR	OFF	2007/11/24 08:41

EAST Search History

S30	4724308	@ad<"20031020" or (@rlad<"20031020")	US-PGPUB; USPAT	OR	OFF	2007/11/24 08:42
S31	19	S29 and S30	US-PGPUB; USPAT	OR	OFF	2007/11/24 08:57
S32	1	10/687745.app.	US-PGPUB; USPAT	OR	OFF	2007/11/24 08:48
S33	1	S32 and hot near2 standby	US-PGPUB; USPAT	OR	OFF	2007/11/24 08:48
S34	1	((backup or slave) near10 (datalink or layer near2 "2") near10 arp) and access	US-PGPUB; USPAT	OR	OFF	2007/11/24 08:59
S35	2	((backup or slave) same (datalink or layer near2 "2") same arp) and access	US-PGPUB; USPAT	OR	OFF	2007/11/24 08:59
S36	1	"6751191".pn. and arp	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2007/11/24 09:44
S37	1	S36 and ethernet	US-PGPUB; USPAT	OR	OFF	2007/11/24 09:13
S38	1	"6397260".pn. and load-sharing	US-PGPUB; USPAT	OR	OFF	2007/11/24 09:42
S39	0	S36 and direct	US-PGPUB; USPAT	OR	OFF	2007/11/24 09:42
S40	56	(direct near2 data near2 link) with connection	US-PGPUB; USPAT	OR	OFF	2007/11/24 09:43
S41	1	"6751191".pn. and connection	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2007/11/24 09:48
S42	1	"6751191".pn. and directly	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2007/11/24 09:51
S43	1	"6751191".pn. and connect\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2007/11/24 09:53

EAST Search History

S44	2	"6751191".pn. and master	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2007/11/24 10:12
S45	1	"6751191".pn. and rfc	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2007/11/24 10:13
S46	1	S32 and rfc	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2007/11/24 10:13
S47	1	"6751191".pn.	US-PGPUB; USPAT	OR	OFF	2007/11/26 08:40
S48	1	S47 and link	US-PGPUB; USPAT	OR	OFF	2007/11/26 08:55
S49	1	S47 and address	US-PGPUB; USPAT	OR	OFF	2007/11/26 08:59
S50	1	S47 and address same replac\$3	US-PGPUB; USPAT	OR	OFF	2007/11/26 09:02
S51	71	(packet near10 replac\$3 near10 (datalink or data near2 link or layer near2 "2"))	US-PGPUB; USPAT	OR	OFF	2007/11/26 09:04
S52	4724308	@ad<"20031020" or (@rlad<"20031020")	US-PGPUB; USPAT	OR	OFF	2007/11/26 09:04
S53	65	S51 and S52	US-PGPUB; USPAT	OR	OFF	2007/11/26 09:04
S54	65	S53 and (backup or second\$4 or slave)	US-PGPUB; USPAT	OR	OFF	2007/11/26 09:05
S55	842	709/239.ccls.	US-PGPUB; USPAT	OR	OFF	2007/11/26 11:36
S56	5768	714/4.ccls. 709/239.ccls. 709/238. ccls.	US-PGPUB; USPAT	OR	OFF	2007/12/05 16:45
S57	258	"s82" and (connect\$3 or channel or link or redundant\$2) and primary and backup	US-PGPUB; USPAT	OR	OFF	2007/12/13 18:15
S58	4724490	(@ad<"20031016" or @rlad<"20031016")	US-PGPUB; USPAT	OR	OFF	2007/12/05 16:45
S59	139	S57 and S58	US-PGPUB; USPAT	OR	OFF	2007/12/05 16:43

EAST Search History

S60	14	S59 and access near2 (router or device)	US-PGPUB; USPAT	OR	OFF	2007/12/05 18:03
S61	5768	714/4.ccls. 709/239.ccls. 709/238.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/05 16:45
S62	258	"s82" and (connect\$3 or channel or link or redundant\$2) and primary and backup	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/05 16:45
S63	25368225	(@ad<"20031016" or @rlad<"20031016")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/05 17:26
S64	139	S62 and S63	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/05 17:43
S65	20946	primary near2 (link or connection or channel)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/05 17:45
S66	46	S64 and S65	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/05 17:59
S67	0	S66 and S61	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/05 17:59
S68	5768	714/4.ccls. 709/239.ccls. 709/238.ccls.	US-PGPUB; USPAT	OR	OFF	2007/12/05 18:04

EAST Search History

S69	35572	(connect\$3 or channel or link or redundant\$2) and primary and backup	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/05 18:05
S70	25368225	(@ad<"20031016" or @rlad<"20031016")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/05 18:06
S71	590	S68 and S69	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/05 18:10
S72	109	S71 and access near2 (router or device)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/05 18:11
S73	20946	primary near2 (link or connection or channel)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/05 18:11
S74	23	S72 and S73	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/11 15:35
S75	2	"6934762".pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/05 18:40
S76	1	S74 and S75	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/05 18:40

EAST Search History

S77	521548	"I74" and (data near2 link) or (layer near2 "2") or "I2"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/11 15:36
S78	521548	"I74" and (data near2 link) or (layer near2 "2") or "I2"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/11 15:36
S79	159	"I74" and ((data near2 link) or (layer near2 "2") or "I2")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/11 15:37
S80	1185	"s74" and ((data near2 link) or (layer near2 "2") or "I2")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/11 15:37
S81	5783	714/4.ccls. 709/239.ccls. 709/238.ccls.	US-PGPUB; USPAT	OR	OFF	2007/12/11 15:37
S82	35650	(connect\$3 or channel or link or redundant\$2) and primary and backup	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/11 15:37
S83	592	S81 and S82	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/11 15:37
S84	109	S83 and access near2 (router or device)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/11 15:37
S85	20990	primary near2 (link or connection or channel)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/11 15:37

EAST Search History

S86	23	S84 and S85	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/11 15:37
S87	8	S86 and ((data near2 link) or (layer near2 "2") or "I2")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/11 15:46
S88	2	"5845091".pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/11 15:46
S89	8	("5088090" "5274631" "5406643" "5452294" "5473599" "5504866" "5570466" "5583996").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/12/11 16:00
S90	2	S89 and (backup or redundant or secondary) and ((data adj link) or "I2" or layer adj "2")	US-PGPUB; USPAT; USOCR	OR	OFF	2007/12/11 16:05
S91	1	S90 and mac	US-PGPUB; USPAT; USOCR	OR	OFF	2007/12/11 16:05
S92	12	(US-20020078232-\$ or US-20020103921-\$ or US-20050041671-\$ or US-20040230696-\$).did. or (US-6397260-\$ or US-5473599-\$ or US-6751191-\$ or US-7079537-\$ or US-7055173-\$ or US-6940814-\$ or US-6058429-\$ or US-6789118-\$). did.	US-PGPUB; USPAT	OR	OFF	2007/12/11 18:49
S93	7	S92 and (data adj link or layer adj S92 or link adj layer)	US-PGPUB; USPAT	OR	OFF	2007/12/11 18:49
S94	1	S92 and (data adj link or layer adj S92 or link adj layer) same replac\$3	US-PGPUB; USPAT	OR	OFF	2007/12/11 19:08
S95	4729503	@ad<"20031020" or (@rlad<"20031020")	US-PGPUB; USPAT	OR	OFF	2007/12/11 19:09
S96	0	S95 and (iso and (datalink or data adj link or S92 or layer adj S92) same primary near2 access same packet same destination)	US-PGPUB; USPAT	OR	OFF	2007/12/11 19:10

EAST Search History

S97	3	S95 and (iso and (datalink or data adj link or S92 or layer adj S92) same primary near2 access)	US-PGPUB; USPAT	OR	OFF	2007/12/11 19:10
S98	61679	S95 and (datalink or data adj link or link adj layer or S92 or layer S92) same primary (connection or channel or link) same packet and Iso	US-PGPUB; USPAT	OR	OFF	2007/12/11 19:12
S99	60667	S95 and ((datalink or data adj link or link adj layer or S92 or layer S92) same primary (connection or channel or link) same packet and Iso)	US-PGPUB; USPAT	OR	OFF	2007/12/11 19:12
S10 0	0	S95 and ((datalink or data adj link or link adj layer or S92 or layer S92) same primary near2 (connection or channel or link) same packet and Iso)	US-PGPUB; USPAT	OR	OFF	2007/12/11 19:13
S10 1	1962	S95 and ((datalink or data adj link or link adj layer or S92 or layer S92) same (connection or channel or link) same packet and Iso)	US-PGPUB; USPAT	OR	OFF	2007/12/11 19:13
S10 2	517	S95 and ((datalink or data adj link or link adj layer or S92 or layer S92) same (connection or channel or link) same packet and Iso) and primary and (backup or redundan\$3)	US-PGPUB; USPAT	OR	OFF	2007/12/11 19:14
S10 3	10	S102 and (709/239.ccls. 709/238. ccls. 714/4.ccls.)	US-PGPUB; USPAT	OR	OFF	2007/12/11 19:24
S10 4	10	S103 and packet same (datalink or data adj link or link adj layer or layer S92 or S92)	US-PGPUB; USPAT	OR	OFF	2007/12/11 19:25
S10 5	6	S103 and packet same (datalink or data adj link or link adj layer or layer adj S92 or S92)	US-PGPUB; USPAT	OR	OFF	2007/12/11 19:25
S10 6	13	(US-20020078232-\$ or US-20020103921-\$ or US-20050041671-\$ or US-20040230696-\$).did. or (US-6397260-\$ or US-5473599-\$ or US-6751191-\$ or US-7079537-\$ or US-7055173-\$ or US-6940814-\$ or US-6058429-\$ or US-6789118-\$ or US-6262976-\$).did.	US-PGPUB; USPAT	OR	OFF	2007/12/11 19:57
S10 7	4	S106 and (data adj link or datalink or layer adj S92) same packet	US-PGPUB; USPAT	OR	OFF	2007/12/11 19:57

EAST Search History

S10 8	12	(US-20020078232-\$ or US-20020103921-\$ or US-20050041671-\$ or US-20040230696-\$).did. or (US-6397260-\$ or US-5473599-\$ or US-6751191-\$ or US-7079537-\$ or US-7055173-\$ or US-6940814-\$ or US-6058429-\$ or US-6789118-\$). did.	US-PGPUB; USPAT	OR	OFF	2007/12/13 18:11
S10 9	4730066	@ad<"20031020" or (@rlad<"20031020")	US-PGPUB; USPAT	OR	OFF	2007/12/13 18:06
S11 0	517	S109 and ((datalink or data adj link or link adj layer or S108 or layer S108) same (connection or channel or link) same packet and Iso) and primary and (backup or redundan\$3)	US-PGPUB; USPAT	OR	OFF	2007/12/13 18:06
S11 1	10	S110 and (709/239.ccls. 709/238. ccls. 714/4.ccls.)	US-PGPUB; USPAT	OR	OFF	2007/12/13 18:06
S11 2	6	S111 and packet same (datalink or data adj link or link adj layer or layer adj S108 or S108)	US-PGPUB; USPAT	OR	OFF	2007/12/13 18:06
S11 3	13	(US-20020078232-\$ or US-20020103921-\$ or US-20050041671-\$ or US-20040230696-\$).did. or (US-6397260-\$ or US-5473599-\$ or US-6751191-\$ or US-7079537-\$ or US-7055173-\$ or US-6940814-\$ or US-6058429-\$ or US-6789118-\$ or US-6262976-\$).did.	US-PGPUB; USPAT	OR	OFF	2007/12/13 18:14
S11 4	1	S112 and S113	US-PGPUB; USPAT	OR	OFF	2007/12/13 18:07
S11 5	1	"6941487".pn.	US-PGPUB; USPAT	OR	OFF	2007/12/13 18:08
S11 6	0	S115 and data adj link	US-PGPUB; USPAT	OR	OFF	2007/12/13 18:08
S11 7	0	S115 and layer adj S108	US-PGPUB; USPAT	OR	OFF	2007/12/13 18:08
S11 8	0	S115 and datalink	US-PGPUB; USPAT	OR	OFF	2007/12/13 18:08
S11 9	1	S115 and osi	US-PGPUB; USPAT	OR	OFF	2007/12/13 18:09
S12 0	1	S108 and replac\$3 same data	US-PGPUB; USPAT	OR	OFF	2007/12/13 18:09
S12 1	0	S112 and lange-\$..in.	US-PGPUB; USPAT	OR	OFF	2007/12/13 18:14

EAST Search History

S12 2	0	S110 and lange-\$.in.	US-PGPUB; USPAT	OR	OFF	2007/12/13 18:14
S12 3	0	S110 and lange-\$.in.	US-PGPUB; USPAT	OR	OFF	2007/12/13 18:14
S12 4	259	"s82" and (connect\$3 or channel or link or redundant\$2) and primary and backup	US-PGPUB; USPAT	OR	OFF	2007/12/13 18:15
S12 5	0	S124 and lange-\$.in.	US-PGPUB; USPAT	OR	OFF	2007/12/13 18:17
S12 6	6	direct with ISO with (datalink or layer adj "2" or data adj link)	US-PGPUB; USPAT	OR	OFF	2007/12/15 09:43
S12 7	11	directly with ISO with (datalink or layer adj "2" or data adj link)	US-PGPUB; USPAT	OR	OFF	2007/12/15 09:43
S12 8	11	S127 not S126	US-PGPUB; USPAT	OR	OFF	2007/12/15 09:43
S12 9	3	(US-20020103921-\$ or US-20020078232-\$ or US-20050041671-\$).did.	US-PGPUB	OR	OFF	2007/12/15 09:43
S13 0	0	S128 and S129	US-PGPUB; USPAT	OR	OFF	2007/12/15 09:44
S13 1	101	(direct with ISO with connect\$3)	US-PGPUB; USPAT	OR	OFF	2007/12/15 09:45
S13 2	0	S131 and S129	US-PGPUB; USPAT	OR	OFF	2007/12/15 09:45
S13 3	1119	direct\$2 with connect\$3 with ((layer adj "2" or S127 or datalink) or data adj link)	US-PGPUB; USPAT	OR	OFF	2007/12/15 09:47
S13 4	0	S133 and S129	US-PGPUB; USPAT	OR	OFF	2007/12/15 09:48
S13 5	51	direct\$2 with OSI with connect\$3	US-PGPUB; USPAT	OR	OFF	2007/12/15 09:48
S13 6	0	S135 and S129	US-PGPUB; USPAT	OR	OFF	2007/12/15 09:48
S13 7	444696	(connect\$3 near5 direct\$2)	US-PGPUB; USPAT	OR	OFF	2007/12/15 09:49
S13 8	17029	(connect\$3 near5 direct\$2) and (data adj link or datalink or layer adj "2" or S127)	US-PGPUB; USPAT	OR	OFF	2007/12/15 09:50
S13 9	1	S138 and S129	US-PGPUB; USPAT	OR	OFF	2007/12/15 09:50
S14 0	21136	(connect\$3 with direct\$2) and (data adj link or datalink or layer adj "2" or S127)	US-PGPUB; USPAT	OR	OFF	2007/12/15 09:50
S14 1	1	S140 and S129	US-PGPUB; USPAT	OR	OFF	2007/12/15 09:51

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	232	(primary near2 access near2 device)	US-PGPUB; USPAT	OR	OFF	2007/11/21 10:55
S2	4644911	(@ad<"20031020" or @rlad<"20030120")	US-PGPUB; USPAT	OR	OFF	2007/11/19 10:46
S3	169	S1 and S2	US-PGPUB; USPAT	OR	OFF	2007/11/19 10:46
S4	7177087	(@pd<"20021020")	US-PGPUB; USPAT	OR	OFF	2007/11/19 10:47
S5	51	S1 and S4	US-PGPUB; USPAT	OR	OFF	2007/11/19 10:47
S6	9	S5 and ethernet	US-PGPUB; USPAT	OR	OFF	2007/11/19 10:47
S7	1	(US-6012088-\$).did.	USPAT	OR	OFF	2007/11/19 12:46
S8	1	S7 and (backup or second\$4)	USPAT	OR	OFF	2007/11/19 12:06
S9	5343	(domain near2 name) or (domain near2 name near2 serv\$5)	USPAT	OR	OFF	2007/11/19 12:09
S10	232	(primary near2 access near2 device)	US-PGPUB; USPAT	OR	OFF	2007/11/19 12:48
S11	3	S10 and S9	USPAT	OR	OFF	2007/11/19 12:11
S12	103	S10 and primary	USPAT	OR	OFF	2007/11/19 12:11
S13	3	S11 and primary	USPAT	OR	OFF	2007/11/19 12:44
S14	3039	709/219.ccls.	USPAT	OR	OFF	2007/11/19 12:12
S15	4644911	(@ad<"20031020" or @rlad<"20030120")	US-PGPUB; USPAT	OR	OFF	2007/11/19 12:12
S16	2985	S14 and S15	USPAT	OR	OFF	2007/11/19 12:13
S17	1	S16 and S10	USPAT	OR	OFF	2007/11/19 12:13
S18	1	"6968389".pn.	USPAT	OR	OFF	2007/11/19 12:45
S19	0	S18 and (backup or secondary) near10 (ethernet or "802.3")	USPAT	OR	OFF	2007/11/19 12:45
S20	0	S18 and primary near10 (ethernet or "802.3")	USPAT	OR	OFF	2007/11/19 12:45
S21	1	S18 and (ethernet or "802.3")	USPAT	OR	OFF	2007/11/19 12:46
S22	1	(US-6012088-\$).did.	USPAT	OR	OFF	2007/11/19 12:46
S23	1	S22 and (ethernet near10 primary)	USPAT	OR	OFF	2007/11/19 12:47
S24	1	S22 and (ethernet) same (backup or secondary)	USPAT	OR	OFF	2007/11/19 12:48
S25	1	S22 and primary	USPAT	OR	OFF	2007/11/19 12:48
S26	59	S10 and ethernet	US-PGPUB; USPAT	OR	OFF	2007/11/19 12:48

EAST Search History

S27	44	S26 and S15	US-PGPUB; USPAT	OR	OFF	2007/11/19 12:49
S28	44	S27 and (backup or second\$5)	US-PGPUB; USPAT	OR	OFF	2007/11/19 12:49
S29	4646181	(@ad<"20031020" or @rlad<"20030120")	US-PGPUB; USPAT	OR	OFF	2007/11/21 10:55
S30	232	(primary near2 access near2 device)	US-PGPUB; USPAT	OR	OFF	2007/11/21 10:55
S31	169	S30 and S29	US-PGPUB; USPAT	OR	OFF	2007/11/21 10:56
S32	82	S31 and (backup or secondary) near2 (router or device)	US-PGPUB; USPAT	OR	OFF	2007/11/21 10:56
S33	27	S32 and (@pd<"20021020")	US-PGPUB; USPAT	OR	OFF	2007/11/21 10:58
S34	2	S33 and "709"/\$.ccls.	US-PGPUB; USPAT	OR	OFF	2007/11/21 10:58
S35	25	S33 not S34	US-PGPUB; USPAT	OR	OFF	2007/11/21 11:00
S36	10	S35 and (rout\$3)	US-PGPUB; USPAT	OR	OFF	2007/11/21 11:01
S37	4	S35 and (routing or router)	US-PGPUB; USPAT	OR	OFF	2007/11/21 11:02
S38	16	(primary near2 router) same (backup or secondary) near2 router and (data near2 link near2 layer)	US-PGPUB; USPAT	OR	OFF	2007/11/21 11:03
S39	0	S38 and S33	US-PGPUB; USPAT	OR	OFF	2007/11/21 11:04
S40	15	S38 and S29	US-PGPUB; USPAT	OR	OFF	2007/11/21 11:04
S41	15	S40 not S32	US-PGPUB; USPAT	OR	OFF	2007/11/21 12:04
S42	5	(US-20030161260-\$ or US-20030154236-\$).did. or (US-6012088-\$ or US-7046680-\$ or US-6751191-\$).did.	US-PGPUB; USPAT	OR	OFF	2007/11/21 12:15
S43	4	S42 and relay	US-PGPUB; USPAT	OR	OFF	2007/11/21 13:02
S44	1	"6108345".pn.	US-PGPUB; USPAT	OR	OFF	2007/11/24 10:30
S45	1	"6751191".pn.	US-PGPUB; USPAT	OR	OFF	2007/11/24 10:30
S46	2868	lange-\$..in.	US-PGPUB; USPAT	OR	OFF	2007/12/13 18:23
S47	2	S46 and backup same connection and primary	US-PGPUB; USPAT	OR	OFF	2007/12/13 18:23